#6184

# Food Establishment Inspection Report

Page 1 of 1

LHD NVHD — Inspection Report Continuation Sheet — Date 8/31/26

Establishment Ritrovo — Town Shelton

## TEMPERATURE OBSERVATIONS

| Item/Location/Process | Temp | Item/Location/Process | Temp | Item/Location/Process | Temp |
|---|---|---|---|---|---|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

## OBSERVATIONS AND CORRECTIVE ACTIONS

| Item Number | Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 & 8-406.11 of the food code. |
|---|---|
| (crossed out) | |
| 10 | Water + Stocked HS @ cookline ✓<br>✓ Slash guard added<br>✓ Signage @ HS |
| * | See photos attached + confirmed running water + Hot H2O 85°F @ via text w/ owner |
| * | FileMaker updated to reflect corrections<br>next Insp 12/2026 |

Person in Charge (Signature) — Date

Inspector (Signature) Amanda Rodin — Date 8/31/26

Distribution: 1st - White - Health Department 2nd - Yellow - Owner/Operator/Person in Charge