

6123

Food Establishment Inspection Report

LHD NVHD

Inspection Report Continuation Sheet

Date 4/7/25

Establishment ShopSmart Town Seymour

TEMPERATURE OBSERVATIONS

Item/Location/Process	Temp	Item/Location/Process	Temp	Item/Location/Process	Temp
<u>1 dr milk fridge</u>	<u>39 F</u>				

OBSERVATIONS AND CORRECTIVE ACTIONS

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 & 8-406.11 of the food code.

Item Number	Observations and Corrective Actions
	<u>* reinspection from routine inspection on 3/26/25</u>
	<u>Priority violations (cos 3/26/25)</u>
<u>13p</u>	<u>Food expired on shelves for purchase</u>
<u>4/7/25</u>	<u>no expired food observed</u>
<u>15p</u>	<u>eggs stored over drinks in walk in cooler</u>
<u>4/7/25</u>	<u>eggs moved</u>
	<u>Priority foundation due 4/6/25</u>
<u>36p</u>	<u>Self service milk fridge missing thermometer</u>
<u>4/7/25</u>	<u>thermometer in unit</u>
	<u>core violations due 6/20/25</u>
<u>47c</u>	<u>cardboard lining shelves in wic 4/7/25 - removed, FR boarded</u>
<u>39c</u>	<u>coffee filters exposed / not protected 4/7/25 - moved</u>
<u>39c</u>	<u>drinks stored on floor throughout market & wic</u>
<u>4/7/25</u>	<u>- all drinks off floor</u>
	<u>All violations have been corrected</u>

Person in Charge (Signature) [Signature]
 Inspector (Signature) amy duval

Date 4/7/25
 Date 4/7/25